

AEGIS[®] INDUSTRIAL

MILD STEEL & STAINLESS STEEL FLOOR SCALES

• WAREHOUSING • GENERAL INDUSTRIAL • PARTS DISTRIBUTION • SHIPPING • INVENTORY MANAGEMENT • FOOD GRADE




FM

APPROVED
LOAD CELLS

INTALOGIX
TECHNOLOGY
OPTIONAL

Fairbanks'
Aegis Industrial
Floor Scales
are built to
provide years of
reliable weighing.



AEGIS[®] INDUSTRIAL

MILD STEEL & STAINLESS STEEL FLOOR SCALES

BEST BUILT FLOOR SCALES ON EARTH


There's an Aegis Industrial Floor Scale to meet your needs:

- **Aegis Industrial Mild Steel** — Superior performance in general industrial weighing applications.
- **Aegis Industrial Stainless Steel** — Accurate and dependable weighing in caustic environments.
- **Aegis Industrial Heavy Capacity** — Ideal for weighing heavy loads in non-washdown applications.



Aegis Indu

FEATURES

- Easy installation, calibration and general maintenance.
- Top plate allows quick, direct access to scale's junction box or optional QMB.
- Leveling made easy on all mild steel models. Simply access the load cells through convenient top holes in the platform's corners and use a screwdriver to level. 
- Optional factory calibration, so scale is ready to weigh upon arrival.
- Diamond tread comes standard.
- NTEP approved for "Legal for Trade" applications.
- FM approved load cells for all intrinsically safe environments.




✓ *1/4" Thick Deck Plate with Diamond Safety Tread — 3/8" on Heavy Capacity models.*

✓ *Rugged construction withstands up to 150% overloads.*



✓ *The Aegis Industrial is easily accessible for material handling devices, from pallet jacks to fork lifts.*



✓ *Fairbanks' state-of-the-art weighbridge technology provides years of uninterrupted, accurate weighments.*



Patented Load Cell/Foot Design

The unique weighing element on the Aegis Industrial stainless steel scales incorporates a patented load cell design that reduces potential problems and service time.

AEGIS INDUSTRIAL APPLICATIONS:

- General Industrial
- Warehousing
- Shipping/Receiving
- Parts Distribution
- Food Grade
- Inventory



LEARN MORE ABOUT FAIRBANKS PRODUCTS & SERVICES AT WWW.FAIRBANKS.COM



Industrial Mild Steel



Aegis Industrial Stainless Steel




Aegis Industrial Heavy Capacity



**LEGAL FOR
TRADE**

✓ Aegis platforms are constructed with type 304 stainless steel (shown below) or durable type A36 industrial-grade carbon steel. Mild steel models are coated with gray acrylic enamel paint.



✓ Quick access panel to load cell connections.

✓ Lifting eyes available on all Aegis models for easy portability.

✓ Durable, NTEP approved load cell/foot design helps make it one of the most accurate floor scale lines available.




✓ Low profile design makes it easy to maneuver loads both on and off the scale.

ACCESSORIES

Ramps

Diamond tread standard, smooth deck optional, custom sizes available.



Bolt-down Plate

Prevents an above-ground scale from sliding.



Pit Frame

For at-grade installation. Standard and custom sizes.



Bumper Guards

Prevent damage that can occur from forks on forklifts.



Lifting Eyebolts & Eyebolt Hole Plugs (Not shown)

Eyebolts easily attach by hand to relocate scale when needed. Plugs screw into threaded eyeholes to eliminate debris accumulation.



Fairbanks' **FB2250** Series and **FB2255** Series Instruments are the perfect, economical choice for Aegis Industrial Floor Scales. This platform/instrument combination is well-matched for most industrial applications, such as shipping and receiving, plant operations, filling, washdown or general weighing.



"Scale Industry Leader Since 1830"

AEGIS® INDUSTRIAL

MILD STEEL & STAINLESS STEEL FLOOR SCALES

SPECIFICATIONS

Aegis Industrial Floor Scales (mild steel and stainless steel)

Capacities	1000 to 10,000 lbs
Platform	1/4" plate with diamond tread
Platform sizes	30" x 30" to 6' x 8'
Platform height	3.0" on all models
Junction box	Stainless steel, NEMA 4X
Overload capacity	150% of capacity
Endloading	100% of capacity
Cable length	Platform to instrument = 25 feet standard
Construction	Type A36 industrial-grade carbon steel or Type 304 stainless steel
Paint	Gray acrylic enamel (mild steel models)
Approval	NTEP CC# 98-005 (5,000d)

Load cell


Capacity	1,000 to 5,000 lbs
Excitation voltage	5 to 15 VDC
Bridge resistance	350Ω (mild steel), 1000Ω (stainless steel)
Construction	Alloy tool steel, 17-4PH stainless steel
Sealing	NEMA 6 or IP67 (mild steel models), IP69K, hermetically sealed (stainless steel models)
Approval	Factory Mutual, NTEP CC# 95-172 (mild steel models), NTEP CC# 04-102 (stainless steel models)

Aegis Industrial Heavy Capacity Models (mild steel)

Capacities	20,000 lbs
Platform	3/8" plate with diamond tread
Platform sizes	4' x 4' to 6' x 8'
Platform height	5.5" on all models
Junction box	Stainless steel, NEMA 4X
Overload capacity	150% of capacity
Endloading	100% of capacity
Cable length	Platform to instrument = 25 feet standard
Construction	Type A36 industrial-grade carbon steel
Paint	Gray acrylic enamel
Accessories	Ramps, pit frame, bolt-down plate, lifting eyebolts, stainless steel eyebolt hole plugs
Approval	NTEP CC# 91-061 (5,000d)

Load cell:

Capacity	10,000 lbs
Excitation voltage	5 to 15 VDC
Bridge resistance	350 Ω
Construction	Alloy tool steel
Sealing	NEMA 6 or IP67
Approval	Factory Mutual, NTEP CC# 95-172



Modifications:

- Smooth deck
- Smooth ramps
- Custom platform sizes
- Custom ramp sizes
- Custom pit frame sizes
- Custom bumper guards
- Lower capacity load cells
- Lifting handles
- Intrinsically safe controller
- Intalogix® Kit — Includes QMB and cabling. Operates exclusively on Intalogix compatible Fairbanks instruments, such as the 2500 Q Series.